


TM113B25

mild steel Drummotor with polyamide junctionbox



MS_TM113B25_KKKU

16-01-2012




VAN DER GRAAF B.V.

VOLLENHOVE-HOLLAND

Telephone :+31(0)527-241441
Telefax :+31(0)527-241488

TM113B25 Option 1

mild steel Drummotor with straight connector



MS_TM113B25_OPTION 1

16-01-2012




VAN DER GRAAF B.V.

VOLLENHOVE-HOLLAND

Telephone :+31(0)527-241441
 Telefax :+31(0)527-241488

TM113B25 CR

stainless steel Drummotor with polyamide junctionbox



MS_TM113B25_CR_KKKU

16-01-2012




VAN DER GRAAF B.V.

VOLLENHOVE-HOLLAND

Telephone :+31(0)527-241441
Telefax :+31(0)527-241488

TM113B25 CR Option 1

stainless steel Drummotor with straight connector



MS_TM113B25_CR_OPTION 1

16-01-2012




VAN DER GRAAF B.V.

VOLLENHOVE-HOLLAND

Telephone :+31(0)527-241441
Telefax :+31(0)527-241488

KT113B25
mild steel Taildrum



MS_KT113B25

16-01-2012




VAN DER GRAAF B.V.

VOLLENHOVE-HOLLAND

Telephone :+31(0)527-241441
Telefax :+31(0)527-241488

KT113B25 CR
 stainless steel Taildrum



MS_KT113B25_CR

16-01-2012


VAN DER GRAAF B.V.
 VOLLENHOVE-HOLLAND
 Telephone :+31(0)527-241441
 Telefax :+31(0)527-241488